2000 Article Index

January

2000 Welding and Fabricating Buyer's Guide Issue

February

23-24 GMAW Technique Doubles Weld Speed
26-29 Principles of Resistance Welding
30-31 The Right Combo: Power Source, Wire Feeder
32-36 Bead by Bead, Welds Hold Pressure
37-39 Waterjet Cutting Reduces Fab Costs
40-44 Is Your Robotic Arm Stronger Than Its Control System?

March

20-22 Making the Most of AWS 2000
24-27 AWS International Welding and Fabricating Exposition
30-36 Chicago Hosts The AWS Millennium Event
38-39 Schedule of Technical Sessions
40-42 Beyond The Show Floor
42-44 Restaurants of Chicago
46-49 Proven Oxyfuel Makes the Cut
50-54 Safety Gear Saves Heads
56-60 Laser Flexibility Opens Market Door
62-70 Part 2: Principles of Resistance Welding — Power Supplies

April

18-22 Custom Weld Metal For Arctic Pipeline
24-27 Simulation and Control Software Technologies Test Drive Robot On 3D CAD Screen
28-31 Torch Designs Reduce Welding Costs
32-36 GMAW Holds Orthotic Knee Joint
34-36 Product Design For Quality Welding
38-40 Waterways and Welding Bound Together
41-44 Gas Purging for Weld Root Control
46-49 Principles of Resistance Welding — Weld Heads, Electrodes, and Quality

May

18-19 Manual Plasma-Arc to Wave-Form Control
20-23 Steel Service Center Keeps Pace With Customers
25-27 Frequently Asked Questions in Aluminum Welding
29-34 Saving $180,000 a year in consumables Seam Sensor Tracks Four Miles of Weld
35-36 Weld Cost Study Saves $13,000 Yearly
37-40 Orbital Welding Reduces Material Handling Weld Time Cut By Two Thirds
42-45 When Welding Looks Like An Inside Job
46-47 Saw System Cuts and Handles Material
48-49 Punched, Cut Parts Fit Welding Jigs

June

A2-A6 Laser Technology to Light the Way in the Future
A7-A14 Gases and Gas Supply Systems for Laser Processing
37-40 AWS 2000 Follow-Up: Editor's Product Picks
42-45 Robots Expand Mower Production
46-47 Safety Equipment Pays Dividends
48-49 From Plastic to Steel: Class A Finish With Resistance Weld
50-51 Fuel Efficiency Generates Profits

July

W3-W5 Welding Safety: Are You Covering the Basics?
W9-W11 Beam in on Safe Laser Welding
W13-W15 An Autodarkening View of Eye Protection
47-52 Comparing New Engine Drive Technologies

August

23-37 Welding Design and Fabrication Retrospective
39-42 Celebrating 70 Years of Excellence
45-52 IMTS Advance Technology Preview

September

29-31 Robotic Welds Hold In-Car Seat Tests
32-37 Welding Aluminum Tests Fab Skills
39-42 Diode Laser Welding Makes Strides Onto Shop Floors
45-47 High Quality Welding Is the "Theme" for Animated Figure Manufacturing
48-52 Punch-Plasma Combo Cuts Product Cost
53-55 Automated Induction Brazing Boosts Production of Hydraulic Shoes

October

29-32 Fabtech Exposition Expects 700 Exhibitors
34-36 Shipyard Discovers Value of Metal-Cored Wire
37-38 Workstations Join Minivan Underbodies
39-43 Cutting Tools Change: Hole/Hour to Holes/Hour
45-48 Robot Production Halves Lead Time

2000 Article Index

January

2000 Welding and Fabricating Buyer's Guide Issue

February

23-24 GMAW Technique Doubles Weld Speed
26-29 Principles of Resistance Welding
30-31 The Right Combo: Power Source, Wire Feeder
32-36 Bead by Bead, Welds Hold Pressure
37-39 Waterjet Cutting Reduces Fab Costs
40-44 Is Your Robotic Arm Stronger Than Its Control System?

March

20-22 Making the Most of AWS 2000
24-27 AWS International Welding and Fabricating Exposition
30-36 Chicago Hosts The AWS Millennium Event
38-39 Schedule of Technical Sessions
40-42 Beyond The Show Floor
42-44 Restaurants of Chicago
46-49 Proven Oxyfuel Makes the Cut
50-54 Safety Gear Saves Heads
56-60 Laser Flexibility Opens Market Door
62-70 Part 2: Principles of Resistance Welding — Power Supplies

April

18-22 Custom Weld Metal For Arctic Pipeline
24-27 Simulation and Control Software Technologies Test Drive Robot On 3D CAD Screen
28-31 Torch Designs Reduce Welding Costs
32-36 GMAW Holds Orthotic Knee Joint
34-36 Product Design For Quality Welding
38-40 Waterways and Welding Bound Together
41-44 Gas Purging for Weld Root Control
46-49 Principles of Resistance Welding — Weld Heads, Electrodes, and Quality

May

18-19 Manual Plasma-Arc to Wave-Form Control
20-23 Steel Service Center Keeps Pace With Customers
25-27 Frequently Asked Questions in Aluminum Welding
29-34 Saving $180,000 a year in consumables Seam Sensor Tracks Four Miles of Weld
35-36 Weld Cost Study Saves $13,000 Yearly
37-40 Orbital Welding Reduces Material Handling Weld Time Cut By Two Thirds
42-45 When Welding Looks Like An Inside Job
46-47 Saw System Cuts and Handles Material
48-49 Punched, Cut Parts Fit Welding Jigs

June

A2-A6 Laser Technology to Light the Way in the Future
A7-A14 Gases and Gas Supply Systems for Laser Processing
37-40 AWS 2000 Follow-Up: Editor's Product Picks
42-45 Robots Expand Mower Production
46-47 Safety Equipment Pays Dividends
48-49 From Plastic to Steel: Class A Finish With Resistance Weld
50-51 Fuel Efficiency Generates Profits

July

W3-W5 Welding Safety: Are You Covering the Basics?
W9-W11 Beam in on Safe Laser Welding
W13-W15 An Autodarkening View of Eye Protection
47-52 Comparing New Engine Drive Technologies

August

23-37 Welding Design and Fabrication Retrospective
39-42 Celebrating 70 Years of Excellence
45-52 IMTS Advance Technology Preview

September

29-31 Robotic Welds Hold In-Car Seat Tests
32-37 Welding Aluminum Tests Fab Skills
39-42 Diode Laser Welding Makes Strides Onto Shop Floors
45-47 High Quality Welding Is the "Theme" for Animated Figure Manufacturing
48-52 Punch-Plasma Combo Cuts Product Cost
53-55 Automated Induction Brazing Boosts Production of Hydraulic Shoes

October

29-32 Fabtech Exposition Expects 700 Exhibitors
34-36 Shipyard Discovers Value of Metal-Cored Wire
37-38 Workstations Join Minivan Underbodies
39-43 Cutting Tools Change: Hole/Hour to Holes/Hour
45-48 Robot Production Halves Lead Time

November

17-18 Diesel Generators Meet Mine Regs
20-23 Attention to Detail Helps Produce Firm's First Rail Car
26-29 Abrasives Can Cut Downtime
31-33 Cool Waterjet Process Heats Up Cutting Market
34 What Customer Wants Customer Gets
35-38 Software Reduces Welding Costs, Enhances Learning
39-41 Robotic Welding Aids Productivity Eliminates Spatter on ATV Components
43-46 New Shielding Mixtures Improve Weld Quality, Increase Weld Speeds
47-48 Constant Confusion Clouds Terminology For Power Sources"

December

2000 Welding and Fabricating Equipment Handbook

BY SUBJECT

Abrasives **11/00**: 26-29
Air-cooled engine **11/00**: 17-18
All-terrain vehicle **11/00**: 39-41
Alloy steels **11/00**: 43-46
Alternator-rectifier **07/00**: 47-52
Alternators **07/00**: 47-52
Aluminum welding **02/00**: 30-31;**05/00**: 25-27; **09/00**: 32-37
Annular cutters **10/00**: 39-43
Applications **09/00**: 45-47
Arc quality **07/00**: 47-52
Arctic pipeline **04/00**: 18-22
ATV components **11/00**: 39-41
Auto-darkening **06/00**: 46-47;**07/00**: W13-W15
Automated induction brazing **09/00**: 53-55
Automation **05/00**: 42-45;**09/00**: 48-52;**11/00**: 39-41
Automotive **06/00**: 48-49
Auxiliary power generator **06/00**: 50-51
Band saws **05/00**: 20-23
Bending **05/00**: 20-23
CAD **04/00**: 24-27; 34-36; **11/00**: 35-38
Carbon monoxide **11/00**: 17-18
Carbon steels **11/00**: 43-46
Chopper **07/00**: 47-52
CO_2 laser **03/00**: 56-60;**06/00**: A7-A14;**06/00**: A2-A6
Coated abrasives **06/00**: 37-40;**11/00**: 26-29
Cold weather welding **04/00**: 18-22
Consistent welds **02/00**: 23-24
Constant voltage **11/00**: 47-48
Contact resistance **02/00**: 26-29
Control measures **07/00**: W9-W11
Controllers **02/00**: 40-44
Cost efficiencies **02/00**: 40-44;**05/00**: 35-36;**09/00**: 39-42;**11/00**: 35-38
Cutting **03/00**: 46-49;**10/00**: 39-43;**11/00**: 34
Depressed center wheels **11/00**: 26-29
Design **09/00**: 32-37
Diesel engine-driven welding machines **11/00**: 17-18
Diode laser **06/00**: A7-A14; A2-A6;**09/00**: 39-42
Disc barriers **04/00**: 41-44
Distortion **10/00**: 34-36
Double-wall tanks **02/00**: 32-36
Downtime **07/00**: W9-W11;**11/00**: 26-29
Electrical shock **07/00**: W3-W5
Electrodes **04/00**: 46-49
Engine drives **06/00**: 50-51
Explosion **07/00**: W3-W5
Eye protection **06/00**: 46-47;**07/00**: W13-W15
Fan fabrication **02/00**: 23-24
Farm tillage equipment **05/00**: 48-49
FCAW **11/00**: 35-38
Fiber discs **11/00**: 26-29
Fiber glass-coated tanks **02/00**: 32-36
Fiber optics **03/00**: 46-49;**06/00**: A2-A6
Fire **07/00**: W3-W5
Flap discs **11/00**: 26-29
Flatcar **11/00**: 20-23
Flux-cored electrodes **11/00**: 20-23
Fuel consumption **06/00**: 50-51
Fumes **07/00**: W3-W5
Gas purging **04/00**: 41-44
Gas supply systems **06/00**: A7-A14
Gases **07/00**: W3-W5
Gaskets **04/00**: 41-44
GMAW **02/00**: 23-24;**04/00**: 32-36;**06/00**: 37-40;**09/00**: 29-31,**11/00**: 35-38; 39-41;43-46
Grain drills **05/00**: 48-49
GTAW **04/00**: 28-31;**11/00**: 35-38
Hazards **07/00**: W3-W5
Health **07/00**: W3-W5
Heat distortion **02/00**: 26-29;**11/00**: 31-33
Heat-affected zone **02/00**: 26-29;**11/00**: 31-33
Helmets **07/00**: W13-W15
Holes/Hour **10/00**: 39-43
Hopper cars **09/00**: 32-37
Hydraulic pumps **09/00**: 53-55
Hydraulic shoes **09/00**: 53-55
Incentives **05/00**: 42-45
Induction brazing **09/00**: 53-55
Inflatable bladder dam **04/00**: 41-44
Inverter-based engine drives **07/00**: 47-52;**11/00**: 39-41
Jigs **05/00**: 48-49
Job shop **09/00**: 39-42; 48-52;**11/00**: 31-33
Job tracking **11/00**: 34
Laser cutting **05/00**: 20-23;**11/00**: 31-33
Laser resonator gases **06/00**: A7-A14
Laser welding **03/00**: 56-60; **07/00**: W9-W11;**09/00**: 39-42
Lasers **06/00**: A2-A6; A7-A14; **09/00**: 39-42; **11/00**: 31-33
Magnetic field control **02/00**: 32-36
Maintenance welding 04/00 38-40
Material handling **05/00**: 37-40
Mechanical stresses **11/00**: 31-33

Metal-cored wire **10/00**: 34-36
Mild steel **02/00**: 30-31
Mine Safety Health Administration **11/00**: 17-18
Minivans **10/00**: 37-38
Motion control **04/00**: 24-27
Mowers **06/00**: 42-45
Narrow kerf **11/00**: 31-33
Nd:YAG Laser **06/00**: A2-A6; A7-A14
Neodymium-doped Laser **06/00**: A7-A14
Noise **07/00**: W3-W5
Northstar project **04/00**: 18-22
Oceaneering technologies **09/00**: 45-47
Open architecture **02/00**: 40-44;**04/00**: 24-27
Orbital Welding **05/00**: 37-40
Orthotic fabrication**04/00**: 32-36
OSHA **03/00**: 50-54
Oxides **02/00**: 26-29;**11/00**: 17-18
Oxyfuel **03/00**: 46-49;**05/00**: 20-23
Ozone exposure levels **11/00**: 43-46
PAC Systems **04/00**: 24-27
PC controls **02/00**: 40-44
Performance **07/00**: W13-W15
Phase control **07/00**: 47-52
Pipe handling **05/00**: 37-40
Pipe welding **04/00**: 41-44
Plasma **03/00**: 46-49;**05/00**: 48-49; **06/00**: 37-40; **11/00**: 31-33
Plastic **06/00**: 48-49
Plating **02/00**: 26-29
Power supplies **03/00**: 62-70; **07/00**: 47-52; **11/00**: 47-48
Pre-engineered solutions **06/00**: 37-40
Pressure codes **10/00**: 45-48
Pressure regulators **06/00**: A7-A14
Pressure vessels **10/00**: 45-48
Process gases **06/00**: A7-A14
Productivity **05/00**: 46-47; **07/00**: W13-W15; **10/00**: 34-36;**11/00**: 39-41
Programming **02/00**: 40-44; **05/00**: 20-23
Protective clothing **03/00**: 50-54
Pulsed GMAW **05/00**: 18-19; **09/00**: 45-47
Punch **05/00**: 48-49
Punch-plasma **09/00**: 48-52
Quality **11/00**: 26-29
Radiation **07/00**: W3-W5
Rail car **09/00**: 32-37; **11/00**: 20-23
Rapid arc processing **02/00**: 23-24
Reflow braze bond **02/00**: 26-29
Regulations **11/00**: 17-18
Resistance welding **02/00**: 26-29; **03/00**: 62-70; **04/00**: 46-49;**06/00**: 48-49
Retrospective 08/00 23-37
Return on investment **05/00**: 42-45
RobCad **06/00**: 42-45
Robotic arms **02/00**: 40-44
Robotic cells **02/00**: 23-24; 40-44; **06/00**: 37-40; 42-45
Robotic controllers **04/00**: 24-27
Robotic welding **02/00**: 40-44; **04/00**: 34-36; **05/00**: 18-19; **06/00**: 48-49; **09/00**: 29-31; 39-42;**10/00**: 37-38; 45-48; **11/00**: 39-41
Safety **03/00**: 50-54; **06/00**: 46-47; **07/00**: W3-W5; W13-W15; W9-W11; **11/00**: 26-29
Saws **05/00**: 46-47
Seam sensors **05/00**: 29-34
Seam welding **02/00**: 32-36
See-through abrasives **11/00**: 26-29
Semiconductor lasers **09/00**: 39-42
Service life **11/00**: 26-29
Shielding gases **11/00**: 43-46
Shielding mixtures **11/00**: 43-46
Shipyards **10/00**: 34-36
Six-axis robots **11/00**: 39-41
Skid steers **04/00**: 34-36
Software **04/00**: 24-27; **06/00**: 37-40; **11/00**: 34; 35-38
Solid wires **11/00**: 43-46
Solid-state **02/00**: 26-29; **06/00**: A7-A14
Spatter **11/00**: 39-41
Specification **11/00**: 20-23
Stainless welding **05/00**: 37-40
Standard terms **11/00**: 47-48
Steel **02/00**: 23-24; **09/00**: 48-52
Sterilizers **10/00**: 45-48
Structural integrity **09/00**: 29-31
Submerged arc welding **02/00**: 32-36; **11/00**: 35-38
Supersonic erosion **11/00**: 31-33
Switching time **07/00**: W13-W15
Team approach **09/00**: 45-47
Terminology **11/00**: 47-48
Theme parks **09/00**: 45-47
Thermal expansion **02/00**: 26-29
Thermally disposable barriers **04/00**: 41-44
Tight nesting **11/00**: 31-33
Torches **04/00**: 28-31
Training **02/00**: 32-36; **11/00**: 35-38
Troubleshooting **04/00**: 24-27
Tubular structural assemblies **11/00**: 39-41
Underbodies **10/00**: 37-38
Underground storage tanks **02/00**: 32-36
Vision systems **04/00**: 24-27
Water soluble film **04/00**: 41-44
Waterjet cutting **02/0**: 37-39; **11/00**: 31-33
Wave form control **05/00**: 18-19; **11/00**: 39-41
Weld force **02/00**: 26-29
Weld heads **04/00**: 46-49
Weld quality **11/00**: 43-46
Weld root **04/00**: 41-44
Weld speed **05/00**: 37-40; **11/00**: 43-46
Welder efficiency **06/00**: 46-47
Welding generators **07/00**: 47-52
Welding helmets **06/00**: 46-47
Welding procedures **02/00**: 32-36
Welding tips **02/00**: 32-36
Women welders **08/00**: 39-42
Workstations **10/00**: 37-38
Yttrium aluminum garnet **06/00**: A7-A14